



CIN: L65190MH2004GOI148838

आईडीबीआई बैंक लिमिटेड
पंजीकृत कार्यालय : आईडीबीआई टॉवर,
डब्ल्यूटीसी कॉम्प्लेक्स, कफ परेड,
मुंबई - 400 005.
टेलिफोन : (+91 22) 6655 3355, 2218 9111
फैक्स : (+91 22) 2218 0411
वेबसाइट : www.idbi.com

IDBI Bank Limited
Regd. Office : IDBI Tower,
WTC Complex, Cuffe Parade,
Mumbai - 400 005.
TEL.: (+91 22) 6655 3355, 2218 9111
FAX : (+91 22) 2218 0411
Website : www.idbi.com

अगस्त ३१, २०१८

| | |
|---|--|
| The Manager (Listing) BSE Ltd., 25th Floor, Phiroze Jeejeebhoy Towers, Dalal Street, Fort, Mumbai – 400 001 | The Manager (Listing) National Stock Exchange of India Ltd., Exchange Plaza, 5th Floor, Plot No.C/1, G Block, Bandra Kurla Complex, Bandra(E), Mumbai – 400 051 |
|---|--|

Dear Sir,

Revision in Ratings by ICRA


This is to inform that IDBI Bank has received following revised ratings from ICRA vide their rating report dated August 30, 2018:

| Instrument | Previous Rated Amount (Rs. crore) | Current Rated Amount (Rs. crore) | Rating Action |
|---|-----------------------------------|----------------------------------|---|
| Upper Tier II Bonds Programme | 4,286.20 | 4,286.20 | [ICRA]BBB+&, placed on watch with developing implications |
| Basel II Compliant Perpetual Bonds | 1,708.80 | 1,708.80 | [ICRA]BBB+&, placed on watch with developing implications |
| Infrastructure Bonds | 8,000.00 | 8,000.00 | [ICRA]A(negative); outstanding |
| Flexi Bond Series | 230.50 | 230.50 | [ICRA]A(negative); outstanding |
| Senior & Lower Tier II (Subordinated Bonds) | 25,742.72 | 25,742.72 | [ICRA]A(negative); outstanding |
| Subordinated Debt Programme | 70.00 | 70.00 | [ICRA]A(negative); outstanding |
| Basel III Compliant Tier II Bonds | 5,000.00 | 5,000.00 | [ICRA]A(hyb)(negative); outstanding |
| Fixed Deposits Programme | - | - | MAA-(negative); outstanding |
| Certificates of Deposit Programme | 35,000.00 | 35,000.00 | [ICRA]A1; outstanding |
| Total | 80,038.22 | 80,038.22 | |

The rating rationale given by ICRA is that the ratings on the upper Tier II bonds and Basel II compliant perpetual bonds are placed on RWD due to the deterioration in the capital adequacy ratios, which were below the regulatory levels.

You are requested to kindly take the above intimation on record in terms of the provisions of Regulations 30 & 51 of SEBI (LODR) Regulations, 2015.

भवदीय,
कृते आईडीबीआई बैंक लिमिटेड


[पवन अग्रवाल] ३१/८/१८
कंपनी सचिव